

Chemical Release を用いたカスプ領域大気風・プラズマドリフト同時計測 ～初期結果～

Measurements of neutral wind and plasma drift with chemical release in the cusp region - preliminary results

柿並 義宏^{1*}; 木原 大城¹; 渡部 重十²; 山本 真行¹; Conde Mark³; Larsen Miguel⁴

KAKINAMI, Yoshihiro^{1*}; KIHARA, Daiki¹; WATANABE, Shigeto²; YAMAMOTO, Masa-yuki¹; CONDE, Mark³; LARSEN, Miguel⁴

¹ 高知工科大学, ² 北海道情報大学, ³ アラスカ大学フェアバンクス校, ⁴ クレムソン大学

¹Kochi University of Technology, ²Hokkaido Information University, ³University of Alaska, Fairbanks, ⁴Clemson University

A chemical release experiment was taken place on 24 November 2014 to measure neutral wind and plasma drift in the cusp region, which was named the Cusp Region Experiment (C-REX). We set up 2 cameras (one for neutral Barium (Ba) and the other for ionized Barium (Ba⁺)) at Longyerben and Ny-Ålesund for each site. In addition, one video camera at Ny-Ålesund and one camera with a grating at Longyerben were set up. The rocket was launched from Andoya at 08:05 UT and first chemical release was observed at 08:14:19 UT from Longyerben, Ny-Ålesund and an airplane. Ten of 24 canisters were successfully ignited between 200 and 400 km altitude at about 600 km away from Svalbard islands. Each canister contains barium (Ba) and strontium (Sr). Evaporated gasses reflect sunshine and green and blue “space fireworks” were observed by digital cameras with filter and video as well as human eyes. The filters were developed to observe resonance scattering of neutral Ba (552.5 nm) and ionized Ba (454.5 nm), and evaluated with an integrating sphere in National Institute of Polar Research. We also observed space fireworks with a grating and successfully obtained spectrums. In this paper, we introduce our observation and show preliminary results of the experiment.

キーワード: カスプ, 中性大気風, プラズマドリフト, 宇宙花火, ガス放出口ケット実験, 中性大気密度異常

Keywords: cusp, neutral wind, plasma drift, space firework, chemical release experiment, neutral density anomaly