Japan Geoscience Union Meeting 2015

(May 24th - 28th at Makuhari, Chiba, Japan) ©2015. Japan Geoscience Union. All Rights Reserved.

SCG60-18

会場:201A

時間:5月25日17:00-17:15

## 分子動力学シミュレーションによる石英表面の水の構造および物理化学特性の解明 Structure and physico-chemical properties of interfacial water on a quartz revealed by molecular dynamics simulation

石川 慧<sup>1\*</sup>; 佐久間 博<sup>2</sup>; 土屋 範芳<sup>1</sup> ISHIKAWA, Satoru<sup>1\*</sup>; SAKUMA, Hiroshi<sup>2</sup>; TSUCHIYA, Noriyoshi<sup>1</sup>

<sup>1</sup> 東北大学大学院環境科学研究科, <sup>2</sup> 独立行政法人 物質 · 材料研究機構 <sup>1</sup>Graduate School of Environmental Studies, Tohoku, <sup>2</sup>National Institute for Materials Science

Structure of water in thin film may have different characteristics compared with that of bulk water. Thin film water can be present at mineral grain boundaries or fractures, and its structure might be influenced by mineral surface. In this study, classical molecular dynamics (MD) simulations were performed to investigate the structure and physico-chemical characteristics of thin film water on a quartz surface.

The model of the quartz surface was characterized by the termination of silanol (Si-OH) group. Water molecules were confined between these surfaces, and we simulated several thicknesses of water in the slab geometry.

Density of water oscillates to be about 1 nm from the quartz surface at 298 K. This structure became less clear with heating, and almost disappeared above 473 K. The self-diffusion coefficients of the confined water were calculated from mean square displacements. These values were lower than that of bulk water indicating that the mobility of confined water is low between quartz surfaces.

These changes in the physical properties of interfacial water on quartz might affect such as slips in the fracture surface of the Earth's crust.

キーワード: 界面水, 石英, 分子動力学, 自己拡散係数 Keywords: interfacial water, quartz, molecular dynamics, self-diffusion coefficient