

CK14-04 航海において採取された沖縄トラフ掘削コア試料の岩相・構成鉱物及び全岩化学組成

Lithology, constituent mineral, geochemical composition of the drilled core obtained by CK14-04 Cruise, Okinawa Trough

野崎 達生^{1*}; 高谷 雄太郎¹; 山崎 徹²; 戸塚 修平³; 堤 彩紀³; 石橋 純一郎³; 高井 研⁴; 熊谷 英憲¹;
川口 慎介⁴; 宮崎 淳一⁴; 正木 裕香¹; 久保 雄介⁵; 鈴木 勝彦¹; CK14-04 航海乗船者一同¹
NOZAKI, Tatsuo^{1*}; TAKAYA, Yutaro¹; YAMASAKI, Toru²; TOTSUKA, Shuhei³; TSUTSUMI, Saki³;
ISHIBASHI, Jun-ichiro³; TAKAI, Ken⁴; KUMAGAI, Hidenori¹; KAWAGUCCI, Shinsuke⁴;
MIYAZAKI, Junichi⁴; MASAKI, Yuka¹; KUBO, Yusuke⁵; SUZUKI, Katsuhiko¹; CK14-04, Cruise members¹

¹JAMSTEC・資源, ²AIST・GSJ, ³九大・理, ⁴JAMSTEC・D-SUGAR, ⁵JAMSTEC・CDEX

¹JAMSTEC/RDCSR, ²AIST/GSJ, ³Kyushu Univ., ⁴JAMSTEC/D-SUGAR, ⁵JAMSTEC/CDEX

CK14-04 Cruise by D/V Chikyu was performed in the Iheya-North Knoll, Okinawa Trough from 8 to 26th, June 2014 to investigate the subseafloor hydraulic structure and geology. Six holes (C9011B, C9012A, C9013A, C9014A, C9015A and C9016A) were drilled for logging while drilling (LWD) as well as coring of three holes (C9015B, C9015C, C9016B). Holes C9015B and C9015C locate the flank of HRV (high radioactivity vent) mound in the Iheya-North Original site, whereas Hole C9016B is ca. 150 m north from the central part of hydrothermal activity in the Iheya-North Aki site where has been discovered in January 2014. Total coring lengths of Holes C9015B, C9015C and C9016B were 31, 30 and 150 m, respectively. In this presentation, we report the lithology and constituent minerals determined by visual core observation and XRD analysis together with downhole variations of the geochemical composition determined by ICP-QMS analysis. Based on these data, we discuss the geology, hydrothermal alteration, geochemical features and sulfide mineralization in the Iheya-North Knoll, Okinawa Trough.

キーワード: 沖縄トラフ, 伊平屋北海丘, 海底熱水鉱床, 黒鉱鉱床, CK14-04 航海, Expedition 907

Keywords: Okinawa Trough, Iheya-North Knoll, seafloor hydrothermal deposit, kuroko-type deposit, CK14-04 Cruise, Expedition 907