

貝化石・底生有孔虫・有機物の¹⁴C年代から見た後期完新世の揚子江デルタにおける細粒碎屑粒子の運搬・堆積過程とその古気候学的意味

Transportation and sedimentary process of fine detrital particles in the Yangtze delta during the late Holocene based on ¹⁴C ages of shell fossils, benthic foraminifera, and organic carbon and their paleo-climatological implication

*齋藤 京太¹、Wang Ke¹、多田 隆治¹、Zheng Hongbo²、入野 智久³、杉崎 彩子⁴、鈴木 克明¹、黒川 駿介¹、内田 昌男⁵

*Keita Saito¹, Ke Wang¹, Ryuji Tada¹, Hongbo Zheng², Tomohisa Irino³, Saiko Sugisaki⁴, Yoshiaki Suzuki¹, Shunsuke Kurokawa¹, Masao Uchida⁵

1.東京大学、2.Nanjing Normal University、3.北海道大学、4.産業技術総合研究所、5.国立環境研究所

1.The University of Tokyo, 2.Nanjing Normal University, 3.Hokkaido University, 4.Geological Survey of Japan, AIST, 5.National Institute for Environmental Studies, Japan

The Yangtze River is one of the largest river in the world and discharges large amounts of water and sediments into the East China Sea. Such an abundant sediment supply resulted in development of the Yangtze delta during the late Holocene. Initiation and evolution of the Yangtze delta have been discussed using inland and subaqueous sedimentary cores around it.

At present, more than 90 % of the sediments discharged from the Yangtze River are transported in the form of suspended particulate material (SPM). It is generally believed that a part of SPM (= fine detrital particles) shed from the river mouth deposited in the delta and the rest is carried southwestward along the coastline of Southeast China and eventually deposited to form the "Mud Belt". However, less attention has been paid about how detrital particles discharged from Yangtze were transported and deposited within and around the Yangtze delta.

We drilled the Yangtze delta to reconstruct changes in SPM provenance and examine their relation with climate changes within the Yangtze drainage basin. We conducted ¹⁴C dating of shell fossils, benthic foraminifera, and organic carbon to establish the age model. Contrary to our expectation, the result suggests complicated process and/or history of deposition of fine grained detrital particles within the Yangtze delta. We will discuss implications of the result to the sedimentation of fine detrital particles in the Yangtze delta and its possible linkage with the climate change within the Yangtze drainage basin during the late Holocene.

キーワード：揚子江、堆積物輸送、¹⁴C年代測定、後期完新世、古気候

Keywords: Yangtze River, Sediment transportation, ¹⁴C dating, Late Holocene, Paleoclimatology