

後立山連峰、鹿島槍ヶ岳カクネ里雪渓の氷体の厚さと流動

The thickness and flows of an ice mass of the Kakunezato perennial snow patch, Mt. Kashimayari, the northern Japanese Alps

*福井 幸太郎¹、飯田 肇¹、カクネ里雪渓 学術調査団

*Kotaro FUKUI¹, Hajime IIDA¹, Research team of the Kakunezato perennial snow patch

1. 立山カルデラ砂防博物館


1. Tateyama Caldera Sabo Museum

We describe field measurements (ground penetrating radar (GPR), geodetic survey and crevasse observation) to provide new information on the surface flow velocity, the ice thickness and the snow density profile of the Kakunezato perennial snow patch in Mt. Kashimayari (2889 m asl) in the northern Japanese Alps, central Japan.

We found the thick ice mass (over 40 m in thickness) in the central part of the Kakunezato perennial snow patch. The snow density is $> 820\text{kg/m}^3$ below 1 m in depth from the surface in October 2015. The ice mass had flowed 12 - 17 cm / 24 days in the autumn of 2015. Thus, we regard the snow patch as small active glacier.

キーワード：氷河、雪渓、流動、日本アルプス

Keywords: glacier, perennial snow patch, flow, Japanese Alps



The flow of the Kakunezato perennial snow patch