

## 2015 年富士山頂で観測された大気中水銀とガス状物質の特徴

Characteristics of atmospheric mercury and gaseous substances observed at Mt. Fuji monitoring station during 2015 summer observation campaign

\*土橋 直弥<sup>4</sup>、永淵 修<sup>1</sup>、中澤 暦<sup>1</sup>、加藤 俊吾<sup>2</sup>、横田 久里子<sup>3</sup>、西田 友規<sup>4</sup>、吉田 明史<sup>4</sup>

\*Naoya Tsuchihashi<sup>4</sup>, Osamu Nagafuchi<sup>1</sup>, Koyomi Nakazawa<sup>1</sup>, Shungo Kato<sup>2</sup>, Kuriko Yokota<sup>3</sup>, Yuki Nishida<sup>4</sup>, Akifumi Yoshida<sup>4</sup>

1.滋賀県立大学、2.首都大学、3.豊橋技術科学大学、4.滋賀県立大学 大学院

1.The University of Siga Prefecture, 2.Tokyo Metropolitan University, 3.Toyohashi University of Technology, 4.Graduate School of Environmental Science, University of Shiga Prefecture

It is well known that the mercury has the highly neurotoxic effect and harmful for living things, even small amount of mercury (Hg). For this reason, it is very important to understand the Hg behavior in the environment. Mt. Fuji has an elevation of 3776 meters and is a single peak mountain. Because of the high elevation, this sampling point (3766m) wasn't affected by the domestic pollution sources. Therefore, this mountain is suitable for observing long-range transport of atmospheric Hg. The purpose of this study is to clarify the dynamics of atmospheric Hg and gaseous substances synchronized with it came to Mt. Fuji monitoring site.

Mt. Fuji is the highest mountain in Japan (elevation : 3776 m). In this site, from 7 August 2015 to 23 August 2015, we continuously observed atmospheric Hg at Mt. Fuji monitoring site. Electric power was provided from a former meteorological station and an inlet tube was fixed at 1 meter distance from the building. Also, gaseous substances (SO<sub>2</sub> and CO) were observed at the same time. Based on the observation data, the passway of air mass was analyzed by back trajectory analysis.

The mean concentration of atmospheric Hg was 2.03 ng/m<sup>3</sup>. This mean value was higher than the background concentration level of the northern hemisphere (1.5~1.7 ng/m<sup>3</sup>). The high concentration period was observed from 11 to 12 August 2015. The peak concentration for each date were 5.59 and 6.17 ng/m<sup>3</sup>, respectively. These concentration were observed during the day time. On 11 August, the peak of SO<sub>2</sub> and CO concentration were also observed. On the other hand, on 12 August, the peak of CO was observed. In order to clarify the relationship between air mass route and these concentration peaks, we conducted the back trajectory analysis. Then, it is considered that volcanic gas released from Mt. Aso on 6 August may reached at Mt. Fuji monitoring site on 11 August. On the other hand, on 12 August, the air mass may came from the Asian continent to Mt. Fuji monitoring site, when high concentration peaks of atmospheric Hg and CO were observed. Result from our observation, it is considered that the atmospheric Hg and CO may came from the Asian continent to Mt. Fuji monitoring site on 12 August.

キーワード：大気中水銀、ガス状物質、富士山

Keywords: atmospheric mercury, gaseous substance, Mt. Fuji