

アジアダスト輸送の十年・百年スケール変動～水月湖堆積物の過去1000年間の記録より～
Decadal to centennial-scale Asian dust transport changes during the last thousand years
recorded in Lake Suigetsu sediment

*長島 佳菜¹、鈴木 克明²、中川 毅³、多田 隆治²、原口 強⁴、五反田 克也⁵

*Kana Nagashima¹, Yoshiaki Suzuki², Takeshi Nakagawa³, Ryuji Tada², Tsuyoshi Haraguchi⁴, Katsuya Gotanda⁵

1.海洋研究開発機構 地球環境観測研究開発センター、2.東京大学大学院理学系研究科 地球惑星科学専攻、3.立命館大学、4.大阪市立大学大学院理学研究科、5.千葉商科大学政策情報学部

1.Japan Agency for Marine-Earth Science and Technology, Research and Development Center for Global Change, 2.Department of Earth and Planetary Science, The University of Tokyo, 3.Ritsumeikan University, 4.Department of Geoscience, Osaka City University, 5.Faculty of Policy Informatics, Chiba University of Commerce

Knowledge of decadal to centennial-scale variations in Asian dust transport is critical to understand the interactions between Asian dust and natural environment, and is also important to estimate past atmospheric circulation changes. Here we estimated temporal changes in the content and depositional flux of aeolian dust in sediment core SG12 from Lake Suigetsu, central Japan, during the last thousand years based on the depositional flux (please see Suzuki et al., presented in this session) and grain size of detrital materials.

First we focused on the last century and compared the estimated dust flux changes to the meteorological records. The estimated dust flux shows decadal-scale change with the decrease during 1952-1974, which could be explained by weaker westerlies in lower latitudes including central Japan, reflecting weaker Aleutian Low during the corresponding period.

Similar decadal-scale changes are observed throughout last thousand years, suggesting dominance of similar decadal-scale climate systems in the East Asia and the north Pacific. In addition, the dust record exhibits centennial-scale changes with the decreases during 11-12th, 15th and 18-19th centuries. We will further compare our result with pollen record from Lake Suigetsu and tree-ring records in Asian region, and discuss nature and mechanisms of decadal and centennial-scale climate changes in East Asia.

キーワード：黄砂、過去1000年、水月湖、10年スケール変動、100年スケール変動

Keywords: Asian dust, last 1000 years, Lake Suigetsu, decadal-variation, centennial-variation