

ChubuSat-2衛星による太陽中性子の観測

Solar neutron observations with ChubuSat-2 satellite

*山岡 和貴¹、宮澤 拓也¹、尾関 真二¹、馬場崎 康伸¹、林 祐貴¹、石原 大助¹、伊藤 和也¹、金田 英宏¹、河原 宏晃¹、久保 信²、松下 幸司¹、宮田 喜久子¹、長野 方星¹、成澤 泰貴¹、西野 真木¹、野田 宗佑¹、朴 大逸¹、定本 真明²、田島 宏康¹、田村 啓輔¹、田中 秀孝¹、Dao Tam¹、渡部 豊喜¹、周 大東¹

*Kazutaka Yamaoka¹, Takuya Miyazawa¹, Shinji Oseki¹, Yasunori Babazaki¹, Yuki Hayashi¹, Daisuke Ishihara¹, Kazuya Itoh¹, Hidehiro Kaneda¹, Hiroaki Kawahara¹, Shin Kubo², Koji Matsushita¹, Kikuko Miyata¹, Hosei Nagano¹, Yasutaka Narusawa¹, Masaki Nishino¹, Sosuke Noda¹, Daeil Park¹, Masaaki Sadamoto², Hiroyasu Tajima¹, Keisuke Tamura¹, Hidetaka Tanaka¹, Tam Dao¹, Toyoki Watabe¹, Qidong Zhou¹

1.名古屋大学、2.クリアパルス株

1.Nagoya University , 2.Clear Pulse Co Ltd.

Solar neutron observation is a key in understanding of ion acceleration mechanism in the Sun surface since neutrons are hardly affected by magnetic field around the Sun and interstellar mediums unlike charged particles. However, there was only a few tenth detections so far since its discovery in 1982. Actually SEDA-AP Fiber detector (FIB) onboard the International Space Station (ISS) was suffered from a high neutron background produced by the ISS itself.

ChubuSat is a series of 50-kg class microsatellite jointly developed by universities (Nagoya university and Daido university) and aerospace companies at the Chubu area of central Japan. The ChubuSat-2 is the second ChubuSat following the ChubuSat-1 which was launched by Russian DNEPR rocket on November 6, 2014. It was selected as one of four piggyback payloads of the X-ray astronomy satellite ASTRO-H in 2014 summer, and will be launched by the H-IIA launch vehicles from from JAXA Tanegashima Space Center (TNSC) in February 2016. The ChubuSat-2 carries a mission instrument,

radiation detector (RD). The main mission of ChubuSat-2 is devoted for monitoring neutrons and gamma-rays which can be background source for ASTRO-H celestial observations with the RD. The mission also involves a function of solar neutron observations which were originally proposed by graduate students who join the leadership development program for space exploration and research, program for leading graduate schools at Nagoya University. The RD has a similar detection area and efficiency to those of the SEDA-AP FIB, but is expected to have lower background than the ISS thanks to much smaller mass of the micro-satellite. In this paper, we will describe details of ChubuSat-2 satellite and RD, and in-orbit performance of RD.

キーワード：太陽、中性子、衛星観測

Keywords: Sun, Neutron, Satellite observations