

下部マントル圧力下におけるブリッジマナイトの格子熱伝導率

Lattice thermal conductivity of bridgmanite at the lower mantle pressures

*奥田 善之¹、太田 健二¹、八木 貴志²、新名 良介³、廣瀬 敬³*Yoshiyuki Okuda¹, Kenji Ohta¹, Takashi Yagi², Ryousuke Sinmyo³, Kei Hirose³

1.東京工業大学 理学院 地球惑星科学系 地球惑星科学コース、2.産業技術総合研究所 物質計測標準研究部門 熱物性標準研究グループ、3.東京工業大学 地球生命研究所

1.Department of Earth and Planetary Sciences, Tokyo Institute of Technology, 2.Research Institute for Material and Chemical Measurement, National Institute of Advanced Industrial Science and Technology, 3.Earth-Life Science Institute

The amount of heat flow from the Earth's core to mantle critically determines the thermo-chemical evolution both of the core and the mantle. Bridgmanite, iron and aluminum bearing MgSiO_3 perovskite, is the most abundant mineral in the Earth's lower mantle, and thus its thermal transport property controls heat transport in the lower mantle. Here we measured lattice thermal diffusivity of bridgmanite with chemical composition of $\text{Mg}_{0.832}\text{Fe}_{0.209}\text{Al}_{0.060}\text{Si}_{0.916}\text{O}_3$ up to 39 GPa at 300 K using the pulsed light heating thermoreflectance technique in a diamond anvil cell. The results indicate that the lattice thermal conductivity of the bridgmanite sample is slightly lower than that of iron and aluminum free bridgmantie determined by using the same experimental technique (Ohta et al., 2012). Our result exhibit insignificant effect of iron and aluminum incorporation into bridgmanite on its thermal conductivity, which imply temperature variation in the lower mantle is only factor to induce heterogeneity of thermal conductivity and core heat flux there that could drive large scale dynamics both in the core and mantle.

Reference: Ohta, K. et al. Lattice thermal conductivity of MgSiO_3 perovskite and post-perovskite at the core-mantle boundary. *Earth Planet Sc Lett* 349-350, 109-115 (2012).

キーワード：熱伝導率、下部マントル、ブリッジマナイト

Keywords: thermal conductivity, lower mantle, bridgmanite