

高圧下におけるFeS-NiS二成分系メルトの密度測定

Density measurements of the FeS-NiS binary melts at high pressure

*浦川 啓¹、寺崎 英紀³、岸本 俊八¹、井上 尚紀²、田窪 勇作³、下山 裕太³、黒川 冬華⁴、町田 晃彦⁵*Satoru Urakawa¹, Hidenori Terasaki³, Shumpachi Kishimoto¹, Naonori Inoue², Yusaku Takubo³, Yuta Shimoyama³, Fuyuka Kurokawa⁴, Akihiko Machida⁵

1.岡山大学大学院自然科学研究科、2.岡山大学理学部、3.大阪大学大学院理学研究科、4.大阪大学理学部、5.日本原子力研究開発機構

1.Department of Earth Sciences, Okayama University, 2.School of Science, Okayama University, 3.Department of Earth and Space Science, Osaka University, 4.School of Science, Osaka University, 5.Japan Atomic Energy Agency

Planetary cores consist mainly of iron, nickel and some light elements. Sulfur is thought to be a primary lightening element in the metallic core of the small planets, satellites and planetesimals. Planetary magnetism arises from a dynamo driven by convection in the liquid core. Physical properties of sulfur-bearing Fe liquids are, therefore, fundamental to understand the dynamics of liquid core in the planetary interior. Here we report the results of density measurements of FeS-NiS binary sulfide melts at high pressure by means of X-ray absorption technique. Experiments were conducted at BL22XU of SPring-8, at which the cubic-type multi-anvil press is equipped and highly brilliant monochromatic X-ray is available. We determined the densities and the expansivities of NiS, (Fe_{0.3}Ni_{0.7})S, (Fe_{0.5}Ni_{0.5})S and (Fe_{0.7}Ni_{0.3})S composition liquids at about 2GPa and 1273-1673 K. Density of (Fe,Ni)S liquid increases with Ni content. Compositional dependence of density allow us to evaluate the partial molar volumes of liquids FeS and NiS. The partial molar volumes of liquids FeS and NiS are consistent with those at 1 atmospheric pressure (Kress, 2008). On the other hand, the extrapolated densities of liquid FeS is 8-10% lower than the EoS determined by Nishida et al (2011). Our new data would contribute to understand compressional behavior as well as thermochemical properties of Fe-Ni-S liquid alloys under pressure.

References

Kress, V (2008) *Contrib Mineral Petrol*, 156, 785-797.Nishida, K et al (2011) *Am Mineral*, 96, 864-868.

キーワード：硫化物メルト、密度、部分モル体積、惑星核

Keywords: sulfide melt, density, partial molar volume, planetary core