

Fe-Ni-S 系の 15GPa における溶融関係 Melting relationships of the Fe-Ni-S system at 15GPa

鹿室 僚太^{1*}, 浦川 啓¹

KAMURO, Ryota^{1*}, URAKAWA, Satoru¹

¹ 岡山大学大学院自然科学研究科

¹Dept. Earth Sci., Okayama Univ.

The planetary core consists of iron-nickel alloy and lightening elements, such as sulfur and silicon. Study of melting relations of iron alloys is of important to understand formation, evolution, and the present state of the planetary core. An addition of nickel to iron affects significantly the phase relations of iron alloys. Here, we report the results of quenching experiments on the Fe-Ni-S system at 15GPa.

Phase relations of the Fe-Ni-S system at 15 GPa were studied by using a KAWAI type high pressure apparatus at Okayama University. Recovered samples were examined by the electron microprobe JXA-8230.

At 15GPa, (Fe,Ni)₃S₂ and (Fe,Ni)₃S are stable as intermediate compounds at subsolidus conditions. Iron solubility of (Fe,Ni)₃S₂ is limited to Fe/(Fe+Ni)=0.76 at 1000K, although Fei et al.(1997) reported that Fe₃S₂ is stable at 14GPa and 1125K. (Fe,Ni)₃S is stable at only the Ni-rich portion. Addition of nickel depresses significantly the melting temperature of the Fe-FeS system. Ternary eutectic point locates around Fe₁₂Ni₅₅S₃₃ and its melting temperature is lower than 900K.

キーワード: 核, Fe-Ni-S 系, 相関係

Keywords: core, Fe-Ni-S system, phase relations