Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



PEM032-P02

会場:コンベンションホール

時間:5月27日10:30-13:00

オーロラ帯近傍における 630nm 大気光イメージング観測による夜間の中規模伝搬性 電離圏擾乱の研究

Observations of nighttime medium-scale travelling ionospheric disturbances by 630-nm airglow imagers near auroral zone

塩川 和夫 ^{1*}, 森 雅人 ¹, 大山 伸一郎 ¹, 大塚 雄一 ¹, 野澤 悟徳 ¹, マーチン・コナーズ ² Kazuo Shiokawa ^{1*}, Masato Mori ¹, Shin-ichiro Oyama ¹, Yuichi Otsuka ¹, Satonori Nozawa ¹, Martin Connors ²

We study nighttime medium-scale travelling ionospheric disturbances (MSTIDs) observed in the 630-nm airglow imagers at Tromso (69.6N, 19.2E; magnetic latitude: 67.1N), Norway and at Athabasca (54.7N, 246.7E; magnetic latitude: 61.7N), Canada. This is the first study of high-latitude MSTIDs by all-sky imagers in the European and Canadian longitudinal sectors. For Tromso we analyzed airglow images for two winters from 9 January to 2 March 2009 and from 9 October 2009 to 3 March 2010. For Athabasca, we analyzed 2-year data from September 2005 to August 2007. At both stations, the MSTIDs were observed before the midnight with the occurrence rate of more than ~30 %. The average wavelengths, phase velocities, and periods of the observed MSTIDs were 100-400 km, 50-150m/s, and 30-60 min, respectively. We found that MSTIDs at Tromso tend to show eastward motion in addition to the typical southwestward motion. At Athabasca, we recognized a tendency that southwestward-moving MSTIDs occur frequently in winter. In summer, however we found characteristic northward-moving MSTIDs at Athabasca. At both stations, some MSTIDs showed characteristic change of their directions of propagation and wave front in association with auroral activity. We report an example of sudden motion of MSTIDs at substorm onset observed at 1730 UT on December 8, 2009 at Tromso. On the basis of these results, we discuss possible cause of generation and motion of high-latitude nighttime MSTIDs.

キーワード: 中規模伝搬性電離圏擾乱, 夜間大気光, オーロラ帯, 電離圏, 熱圏, サブストーム

Keywords: medium-scale traveling ionospheric disturbance, airglow, auroral zone, ionosphere, thermosphere, substorm

¹ 名古屋大学太陽地球環境研究所, 2 アサバスカ大学

¹STEL, Nagoya University, ²Athabasca University